Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	28630	(multi-cast\$3 multicast\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 16:19
S2	5534	(copy\$3 replicat\$3) near4 (packet\$1 datagram\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 15:15
S3	54975	(client terminal node receiver\$1) near4 (packet\$1 datagram\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 15:16
S4	646	S2 with S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/07/12 15:16
S5	283	S1 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 15:16
S6	146	S1 same S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 16:14
S7	97	S6 and (@ad<"20031031" @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 15:23
S8	63	S7 and bandwidth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 15:23

S9	4	(("6502140") or ("6625773")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 16:14
S10	7007	(multi-cast\$3 multicast\$3) with group\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 16:19
S11	3354	(replicat\$3 duplicat\$3 copy\$3) near4 packet\$1 same (node terminal client device apparatus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 16:21
S12	539	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 16:20
S13	375	S12 and bandwidth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 16:20
S14	1972	(replicat\$3 duplicat\$3 copy\$3) near4 packet\$1 with (node terminal client device apparatus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 16:21
S15	331	S14 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 16:21
S16	239	S15 and (@ad<"20031031" @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 16:21

S17	88	S16 and "709"/\$.ccls.	US-PGPUB;	OR	OFF	2007/07/12 16:25
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S18	24	S16 and intermedia\$6 adj node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/12 16:26
S19	55127	(client terminal node receiver\$1) near4 (packet\$1 datagram\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 10:34
S20	5537	(copy\$3 replicat\$3) near4 (packet\$1 datagram\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 10:34
S21	647	S20 with S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 10:34
S22	28741	(multi-cast\$3 multicast\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 10:34
S23	283	S22 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 10:34
S24	1974	(replicat\$3 duplicat\$3 copy\$3) near4 packet\$1 with (node terminal client device apparatus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 10:34

S25	7024	(multi-cast\$3 multicast\$3) with group\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 10:34
S26	331	S24 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 10:34
S27	239	S26 and (@ad<"20031031" @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/16 10:34